

-	2	("5414761").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:15
-	668	725/\$.ccls. and ((upgrad\$6 or download\$4) same remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:20
-	336	725/\$.ccls. and ((upgrad\$6 or download\$4) with remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:37
-	187	(725/\$.ccls. and ((upgrad\$6 or download\$4) with remote)) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:37
-	554	725/\$.ccls. and ((configur\$6) with remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:37
-	290	(725/\$.ccls. and ((configur\$6) with remote)) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:54
-	191	348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:55
-	3435650	(conditional adj access) or (block\$4 or lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:56
-	118	((conditional adj access) or (block\$4 or lock\$4 or disabl\$4)) and 348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:56
-	3348064	(conditional adj access) or (blocks or blocking or blockage or lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:56
-	116	((conditional adj access) or (blocks or blocking or blockage or lock\$4 or disabl\$4)) and 348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:57
-	1632660	(conditional adj access) or (blocking or blockage or lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:57

-	51	((conditional adj access) or (blocking or blockage or lock\$4 or disabl\$4)) and 348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:05
-	405	725/\$.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) same (remote))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:11
-	247	(725/\$.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) same (remote))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 09:52
-	2	("6493876").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 09:27
-	6427	mode near3 remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 09:27
-	191	(mode near3 remote) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 09:28
-	132	((mode near3 remote) and 725/\$.ccls.) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 09:28
-	122	(725/\$.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) with (remote))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:13
-	37	(348/734.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) with (remote))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:19
-	82	(348/734.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) same (remote))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:20
-	45	((348/734.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) same (remote))) and @ay<2001) not ((348/734.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) with (remote))) and @ay<2001)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 10:20
-	2	("6246441").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:13

-	2	("6445306").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:13
-	14	"securing programming"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 13:18
-	186	725/\$.ccls. and (display with message with (stat\$4 or configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:14
-	128	(725/\$.ccls. and (display with message with (stat\$4 or configur\$6))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:14
-	3528	725/\$.ccls. and ((display or message) with (time or second))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:18
-	2160	(725/\$.ccls. and ((display or message) with (time or second))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:19
-	102950	((display or message) with (time or second)) same (config\$6 or stat\$2 or mode\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:19
-	12472	status near3 message\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:25
-	8827	(status near3 message\$2) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:25
-	122	((status near3 message\$2) and @ay<2001) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 15:26
-	25335	(option\$2 near3 (screen\$2 or display\$2 or menu\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:13
-	11156	((option\$2 near3 (screen\$2 or display\$2 or menu\$2))) same (remote\$2 or controller\$2 or input\$2 or device\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:14

-	480	((option\$2 near3 (screen\$2 or display\$2 or menu\$2))) same (remote\$2 or controller\$2 or input\$2 or device\$2)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:15
-	269	((option\$2 near3 (screen\$2 or display\$2 or menu\$2))) same (remote\$2 or controller\$2 or input\$2 or device\$2)) and 725/\$.ccls.) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:15
-	3649	(status near3 (new or change\$2)) with (display\$2 or message\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 09:47
-	43	((status near3 (new or change\$2)) with (display\$2 or message\$2)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 10:07
-	73	((status near3 (new or change\$2)) with (display\$2 or message\$2)) and 348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 10:07

L Number	Hits	Search Text	DB	Time stamp
1	774	348/734.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:22
2	713	348/734.ccls. and (prevent\$4 or block\$4 or lock\$4 or unlock\$4 or enabl\$4 or disabl\$4 or stop\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:24
3	632	348/734.ccls. and (prevent\$4 or lock\$4 or unlock\$4 or enabl\$4 or disabl\$4 or stop\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:24
4	42001	(disabl\$4 or block\$4 or lock\$4) with remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:03
5	33299	((disabl\$4 or block\$4 or lock\$4) with remote) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:03
6	266	((disabl\$4 or block\$4 or lock\$4) with remote) and @ay<2001) and 348/734.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:03
7	19716	(disabl\$4 or lock\$4) with remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:49
8	16182	((disabl\$4 or lock\$4) with remote) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:49
9	59	((disabl\$4 or lock\$4) with remote) and @ay<2001) and 348/734.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:50
10	4942	(disabl\$4 or lock\$4) near2 remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:49
11	3814	((disabl\$4 or lock\$4) near2 remote) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:50
12	20	((disabl\$4 or lock\$4) near2 remote) and @ay<2001) and 348/734.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:12

37	2	("5640195").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:19
38	2	("5566879").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:14
39	2	("5455560").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:15
40	2	("5414761").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:15
41	668	725/\$.ccls. and ((upgrad\$6 or download\$4) same remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:20
42	336	725/\$.ccls. and ((upgrad\$6 or download\$4) with remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:37
43	187	(725/\$.ccls. and ((upgrad\$6 or download\$4) with remote)) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:37
44	554	725/\$.ccls. and ((configur\$6) with remote)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:37
45	290	(725/\$.ccls. and ((configur\$6) with remote)) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:54
46	191	348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:55
47	3435650	(conditional adj access) or (block\$4 or lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:56
48	118	((conditional adj access) or (block\$4 or lock\$4 or disabl\$4)) and 348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:56

49	3348064	(conditional adj access) or (blocks or blocking or blockage or lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:56
50	116	((conditional adj access) or (blocks or blocking or blockage or lock\$4 or disabl\$4)) and 348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:57
51	1632660	(conditional adj access) or (blocking or blockage or lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 14:57
52	51	((conditional adj access) or (blocking or blockage or lock\$4 or disabl\$4)) and 348/724.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:05
53	405	725/\$.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) same (remote))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:11
54	247	(725/\$.ccls. and ((receiver or set\$1top or STB or (set adj top)) same (upgrad\$4 or configur\$4 or disabl\$4 or lock\$4) same (remote))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:11
-	69	725/30.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:21
-	1658674	(input adj device) (remote) (controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 14:40
-	170755	((input adj device) (remote) (controller)) same (secur\$4 or PIN or key or password\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 14:43
-	1069	reyes.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 14:44
-	195	reyes.in. and (secur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 14:47
-	141586	(enabl\$4 or disabl\$4) same (remote or (input adj device) or controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 14:52

-	344	725/25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:09
-	304	725/25.ccls. and (remote or control or input)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:11
-	521621	((remote or control or input) with (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:13
-	2265	((remote or control or input) with (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:14
-	263809	((remote or controller or input) with (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:20
-	1682	((remote or controller or input) with (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:17
-	6681	((remote or controller or input) with (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4)) and 348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:21
-	119894	((remote or controller or input) near3 (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:21
-	246265	((remote adj control) or (input adj device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:21
-	3141	((remote or controller or input) near3 (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4)) and 348/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:21
-	7086	((remote adj control) or (input adj device)) near3 (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:22
-	15689	((remote adj control) or (input adj device)) with (disabl\$4 or enabl\$4 or lock\$4 or unlock\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:27

-	69	725/30.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:27
-	344	725/25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:27
-	207	725/25.ccls. and (remote or controller or (input adj device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:28